

JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with Stainless Steel Sleeve - 2 Metre Lengths

OD mm	SN = 32.000 N/m ²					SN = 40.000 N/m ²					SN = 50.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
272															
324															
376															
427															
530															
550						20	510	484	73	10178	21	509	505	75	12076
616						21	574	583	86	10180	23	570	675	94	12082
650	21	608	613	91	10181	24	602	760	104	12089	25	600	809	108	12090
718	23	672	733	110	10183	25	668	842	120	12096	27	664	949	129	12097
752	24	704	800	121	12103	26	700	913	130	10185	28	696	1026	140	12104
820	25	770	964	137	10186	27	766	1088	148	12110	29	762	1211	158	12111
860	27	806	1140	155	12117	29	802	1270	166	12118	31	798	1399	178	10187
924	29	866	1302	179	12123	32	860	1511	197	12124	34	856	1649	209	10188
960	31	898	1497	199	10189	34	892	1714	217	12127	36	888	1857	230	12128
1026	34	958	1830	233	10190	36	954	1984	246	06113	38	950	2138	259	12131
1099	35	1029	2040	257	10192	38	1023	2288	278	06120	41	1017	2535	300	12133
1229	40	1149	2748	328	06126	43	1143	3026	352	06127	46	1137	3302	376	12135
1280	41	1198	2968	351	22921	45	1190	3353	384	22922	47	1186	3545	400	22923
1434	46	1342	3890	441	06133	49	1336	4215	469	06134	52	1330	4537	496	12138
1499	48	1403	4236	481	06139	52	1395	4688	520	06140	56	1387	5137	558	12140

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630



JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with Stainless Steel Sleeve - 2 Metre Lengths

OD mm	64.000 N/m ²					80.000 N/m ²					100.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
272															
324															
376															
427											19	389	342	54	12063
530	20	490	459	70	12071	23	484	577	81	12072	24	482	616	84	12073
550	22	506	566	80	12077	24	502	648	87	12078	26	498	728	94	10179
616	25	566	767	102	12083	27	562	858	110	12084	29	558	949	118	12085
650	26	598	857	112	10182	28	594	953	120	12091	30	590	1049	128	12092
718	28	662	1003	134	12098	30	658	1109	143	12099	32	654	1215	152	12100
752	30	692	1138	150	12105	33	686	1305	164	12106	36	680	1470	178	12107
820	33	754	1456	179	12112	35	750	1578	190	12113	38	744	1758	205	12114
860	35	790	1655	199	12119	37	786	1783	210	12120	40	780	1972	227	12121
924	37	850	1856	227	06100	40	844	2061	244	06101	42	840	2197	256	12125
960	39	882	2072	248	06107	42	876	2284	266	06108	44	872	2425	278	12129
1026	41	944	2367	279	06114	44	938	2595	298	06115	48	930	2897	324	10191
1099	44	1011	2781	321	06121	48	1003	3106	348	06122	51	997	3348	369	10193
1229	49	1131	3576	399	06128	53	1123	3940	430	06129	56	1117	4212	454	12136
1280	52	1176	4022	441	22924	55	1170	4306	465	22925	59	1162	4682	497	22926
1434	57	1320	5072	542	06135	61	1312	5497	578	06136	65	1304	5919	615	12139
1499	60	1379	5583	596	06141	64	1371	6027	634	06142	68	1363	6469	672	12141

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630



JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with Stainless Steel Sleeve - 2 Metre Lengths

OD mm	128.000 N/m ²					160.000 N/m ²					200.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
272															
324											20	284	273	42	12054
376	19	338	297	47	12056	20	336	324	49	12057	23	330	405	56	12058
427	20	387	373	56	10634	21	385	405	59	12064	24	379	497	67	12065
530	26	478	694	90	12074	28	474	770	97	12075	31	468	885	107	10177
550	28	494	808	101	12079	30	490	888	108	12080	33	484	1006	118	12081
616	32	552	1083	129	12086	34	548	1172	137	12087	37	542	1304	148	12088
650	33	584	1191	141	12093	35	580	1285	149	12094	38	574	1425	161	12095
718	35	648	1373	165	12101	40	638	1633	187	12102	43	632	1787	201	10184
752	39	674	1634	192	12108	42	668	1797	206	06088	45	662	1958	220	12109
820	42	736	1998	226	12115	45	730	2175	241	06092	49	722	2410	261	12116
860	43	774	2160	243	06096	47	766	2409	264	06097	51	758	2655	285	12122
924	46	832	2466	279	06102	50	824	2734	302	06103	54	816	2998	324	12126
960	48	864	2706	302	06109	52	856	2983	326	06110	56	848	3258	350	12130
1026	52	922	3196	350	06116	56	914	3492	375	06117	61	904	3859	407	29380
1099	56	987	3748	403	06123	59	981	3987	424	06124	64	971	4380	457	12134
1229	61	1107	4660	492	06130	66	1097	5105	530	06131	71	1087	5546	568	12137
1280	64	1152	5149	537	22927	68	1144	5520	569	22928					
1434	71	1292	6548	668	06137	76	1282	7067	713	06138					
1499	74	1351	7126	728	06143	79	1341	7669	775	06144					

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630



JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with Stainless Steel Sleeve - 2 Metre Lengths

OD mm	320.000 N/m ²					640.000 N/m ²					1.000.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
272	19		204	33	06709	24		297	41	06710					
324	23		341	48	06711	28		452	57	06712					
376	27	322	510	65	06713	32	312	638	76	06714		376			
427	28	371	618	77	10172	34	359	795	92	06716	39	349	938	105	10173
530	36	458	1071	123	06074	44	442	1362	148	06075	51	428	1608	169	06076
550	38	474	1199	134	06077	47	456	1537	163	06078	53	444	1755	182	06079
616	43	530	1564	170	06080	50	516	1860	196	06081	58	500	2188	224	06082
650	44	562	1700	184	06083	54	542	2146	222	06084	62	526	2491	252	06085
718	48	622	2040	222	05543	59	600	2583	269	06086	68	582	3012	305	06087
752	51	650	2276	247	29381	62	628	2843	296	06090	72	608	3342	338	06091
820	54	712	2699	286	06093	67	686	3433	349	06094	78	664	4033	400	06095
860	58	744	3080	321	06098	72	716	3905	392	06099					
924	62	800	3520	369	06104	77	770	4470	450	06106					
960	64	832	3801	396	06111	80	800	4854	486	06112					
1026	68	890	4366	450	06118										
1099	73	953	5079	517	06125										
1229	81	1067	6415	642	06132										
1280															
1434															
1499															

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630



JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with GRP Sleeve - 2 Metre Lengths

OD mm	SN = 32.000 N/m ²					SN = 40.000 N/m ²					SN = 50.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
427															
530															
550															
616															
650															
718															
752															
820															
860															
924											34	856.0	1448	209	10090
960						34	892	1478	217	11397	36	888	1621	230	11398
1026	34	958	1585	233	10091	36	954	1739	246	05819	38	950	1893	259	11404
1099	35	1029	1717	257	10093	38	1023	1965	278	05826	41	1017	2212	300	11412
1229	40	1149	2289	328	61657	43	1143	2566	352	05832	46	1137	2842	376	11416
1280	41	1198	2434	351	22889	45	1190	2819	384	22890	47	1186	3011	400	22891
1434	46	1342	3150	441	05844	49	1336	3474	469	05845	52	1330	3796	496	11419
1499	48	1403	3476	481	05850	52	1395	3927	520	05851	56	1387	4376	558	11421
1638	52	1534	4218	569	05856	56	1526	4711	611	05857	60	1518	5202	653	11422
1720	55	1610	4381	632	05862	59	1602	4899	676	05863	64	1592	5542	731	10102
1842	59	1724	5224	726	05868	63	1716	5779	774	05869	68	1706	6469	833	11425
2047	65	1917	6549	889	05873	70	1907	7319	955	05874	75	1897	8086	1021	10103
2160	69	2022	7405	995	29361	74	2012	8217	1065	29362	79	2002	9025	1134	29363
2400	76	2248	9251	1218	05880	81	2238	10154	1295	05881					

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630



JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with GRP Sleeve - 2 Metre Lengths

OD mm	64.000 N/m ²					80.000 N/m ²					100.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
427															
530															
550															
616															
650															
718											32	654	1121	152	11383
752						33	686	1231	164	11385	36	680	1396	178	11386
820	33	754	1229	179	11388	35	750	1351	190	11389	38	744	1531	205	11390
860	35	790	1407	199	11392	37	786	1534	210	11393	40	780	1724	227	11394
924	37	850	1654	227	05809	40	844	1859	244	04103	42	840	1995	256	11396
960	39	882	1836	248	05813	42	876	2048	266	05814	44	872	2189	278	11399
1026	41	944	2122	279	05820	44	938	2350	298	05821	48	930	2651	324	10092
1099	44	1011	2457	321	05827	48	1003	2781	348	05828	51	997	3023	369	10100
1229	49	1131	3116	399	05833	53	1123	3479	430	05834	56	1117	3750	454	11417
1280	52	1176	3487	441	22892	55	1170	3770	465	22893	59	1162	4146	497	22894
1434	57	1320	4330	542	05846	61	1312	4755	578	05847	65	1304	5176	615	11420
1499	60	1379	4822	596	05852	64	1371	5265	634	05853	68	1363	5705	672	10101
1638	65	1508	5811	706	05858	70	1498	6417	757	05859	75	1488	7018	809	11423
1720	68	1584	6054	775	05864	73	1574	6690	830	05865	78	1564	7322	884	11424
1842	73	1696	7154	892	05870	78	1686	7836	950	05871	83	1676	8513	1008	11426
2047	81	1885	9000	1099	05875	86	1875	9757	1164	05876					
2160	85	1990	9990	1217	29364										
2400															

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630



JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with GRP Sleeve - 2 Metre Lengths

OD mm	128.000 N/m ²					160.000 N/m ²					200.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
427															
530															
550											33	484	893	118	11377
616						34	548	1040	137	11378	37	542	1172	148	11379
650	33	584	1055	141	11380	35	580	1148	149	11381	38	574	1288	161	11382
718	35	648	1278	165	11384	40	638	1538	187	04067	43	632	1691	201	10089
752	39	674	1560	192	05794	42	668	1722	206	05795	45	662	1882	220	11387
820	42	736	1770	226	05799	45	730	1947	241	05800	49	722	2181	261	11391
860	43	774	1911	243	05805	47	766	2160	264	05806	51	758	2406	285	11395
924	46	832	2264	279	05810	50	824	2531	302	04104	54	816	2796	324	11408
960	48	864	2469	302	05815	52	856	2746	326	05816	56	848	3021	350	11400
1026	52	922	2950	350	05822	56	914	3246	375	05823	61	904	3612	407	29365
1099	56	987	3423	403	05829	59	981	3661	424	05830	64	971	4054	457	11415
1229	61	1107	4198	492	05835	66	1097	4643	530	05836	71	1087	5083	568	11418
1280	64	1152	4612	537	22895	68	1144	4983	569	22896					
1434	71	1292	5804	668	05848	76	1282	6323	713	05849					
1499	74	1351	6361	728	05854	79	1341	6904	775	05855					
1638	81	1476	7734	870	05860	86	1466	8327	921	05861					
1720	85	1550	8200	959	05866										
1842															
2047															
2160															
2400															

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630



JACKING PIPE PRODUCT LIST 2009



Jacking Pipe, PN1, with GRP Sleeve - 2 Metre Lengths

OD mm	320.000 N/m ²					640.000 N/m ²					1.000.000 N/m ²				
	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress	s5 mm	ID mm	Fmax kN	Weight kg/m	Progress
427						34	359	696	92	11376	39		839	105	10088
530	36	458	957	123	05786	44	442	1247	148	05787	51		1492	169	05788
550	38	474	1086	134	05141	47	456	1423	163	05789	53		1640	182	05143
616	43	530	1432	170	05151	50	516	1727	196	04044	58		2055	224	05149
650	44	562	1563	184	05153	54	542	2008	222	05790	62		2352	252	05159
718	48	622	1944	222	05791	59	600	2486	269	05792	68		2915	305	05793
752	51	650	2199	247	29366	62	628	2765	296	05797	72		3263	338	05798
820	54	712	2471	286	05802	67	686	3203	349	05803	78		3802	400	05804
860	58	744	2830	321	05807	72	716	3654	392	05808					
924	62	800	3316	369	05811	77	770	4265	450	05812					
960	64	832	3563	396	05817	80	800	4615	486	05818					
1026	68	890	4118	450	05824										
1099	73	953	4752	517	05831										
1229	81	1067	5951	642	05837										
1280															
1434															
1499															
1638															
1720															
1842															
2047															
2160															
2400															

HOBAS Jacking Pipe is proudly supplied by:

Global Pipe Australia Pty Ltd

10 Wellington St.

St. Kilda, VIC 3182

Phone: 03 9598 6630

